172
#
l#

Λ	_	
H	PTO	
	0894 0894	
	14/6	

TO PATENT APPLICATI	ON TRANSMIT	TAL LETT	ER	ATTORNEY'S DOCKET HO.
TO THE COMMISSIONER OF PATENTS AND TRADEMARKS:  Transmitted herewith for filing is the patent application ofKi Il Kim				:
for CELLULAR PHONE HO	LDER WITH CHAR	GER MOUNT	ED TO VEHIC	CLE DASHBOARD
		<del></del>		
Enclosed are:	sheets of drawing.			•
an assignment of the inventi	on to			
a certified copy of a				application.
<b>₩</b> Applicant an	d/or Assignee	is a smal	l entity*	
		CLAIMS AS FILED		
FOR	NUMBER FILED	NUMBER EXTRA	RATE	FEE
TOTAL CLAIMS	-20 =		x s	
INDEPENDENT CLAIMS	- 3 =		х \$	
BASIC FEE 355, 00			355,00	
		TOTAL	FILING FEE	355.00
Please charge my Deposit Acc \$630.00 to cover filing fees enclosed.	ount Noand \$8.00 to cover rec	ordation of assi	in the amount of	of \$, ate copy of this sheet is
	ion without specific au A duplicate copy	thorization, or	credit any overpay	uired at any time during the yment to Deposit Account No.
x A check in the amount of \$	355,00	to cover the	filing fee is end	closed.
See copy of Forms PTO-1123 and 1532 enclosed.				
November 6, 200	0	Irving K Reg. No.	eschner, Attorney	of Record
		rey. no.	u-ryshi	

#### PATENT APPLICATION PAPERS

OF

#### KI IL KIM

FOR: CELLULAR PHONE HOLDER WITH CHARGER MOUNTED TO VEHICLE DASHBOARD

#### RELATED DISCLOSURE DOCUMENT

A Disclosure Document No. 479497 was filed in the Patent and Trademark Office on September 5, 2000.

#### BACKGROUND OF THE INVENTION

#### 1. Field of the Invention

The present invention provides a vehicle mounting device and, in particular, a mounting device located on or in a vehicle dashboard for holding and powering a cell phone.

#### 2. Description of the Prior Art

As the number of technology innovations increase, more devices are developed specifically for use in vehicles or sufficiently compact to be used in the vehicle. The devices may be placed on vehicle dashboards and powered, either directly or indirectly, via the vehicle cigarette lighter. A likelihood exists that vehicle manufacturers may add a second cigarette lighter on top of the dashboard to accommodate these devices without eliminating the cigarette lighter function. Further, cell phones are being developed with video cameras built in for conveying image data over the cell phone audio channel. Although conceptually there is a need for a built-in accessory or an add-on accessory platform that bolts onto the dashboard to support and power these drills, a power connection is still required. Direct wiring to the cigarette lighter would leave dangling wires, marring the appearance of the vehicle interior. U.S. Patent No. 5,687,234 to Chang discloses a charger for a mobile phone wherein the charger case, in one embodiment, couples the phone to the vehicle lighter socket. The charger is a separate unit and not attached to the vehicle itself.

What is thus desired is to provide a mounting device associated with the vehicle dashboard for holding and powering electronic devices that are capable of use within a vehicle, and, in particular, to hold and power cell phones.

#### SUMMARY OF THE PRESENT INVENTION

The present invention provides an accessory platform, or mounting, either bolted onto the exterior of a vehicle dashboard or built into the vehicle dashboard either as an after market accessory or offered as an option in a vehicle being purchased to hold and power cell phones.

The video camera portion of a cell phone having this feature is positioned to view, or scan, through the windshield or towards the back of the vehicle and its interior.

#### DESCRIPTION OF THE DRAWING

For better understanding of the present invention as well as other objects and further features thereof, reference is made to the following description which is to be read in conjunction with the accompanying drawing therein.

Figure 1 is a perspective view of the video cell phone mounting device of the present invention;

Figure 2A is a side elevation of the mounting device shown in

Figure 1 and Figure 2B illustrates the mounting socket utilized in the present invention;

Figure 3 is a side elevational view/partial cross-sectional view illustrating one version of the mounting device of the present invention in the open position;

Figure 4 illustrates the mounting device shown in Figure 3 in the closed, or storage, position;

Figure 5 is a second embodiment of the mounting device of the present invention;

Figure 6 is a perspective view of the embodiment shown in Figure 5;

Figure 7 is a perspective view of a vehicle dashboard showing a cell phone holder and charger mounted to the vehicle dashboard; and

Figure 8 is a third embodiment of the mounting device of the present invention.

#### DESCRIPTION OF THE INVENTION

Referring now to Figures 1, 2A and 2B, a preferred embodiment of the present invention is illustrated. In particular, a holder 10 with charger 11 is shown positioned on the top of a vehicle dashboard 12. A cell phone 14 having a video camera 16 is shown positioned in holder 10 (the holder of the present invention can be used with conventional cell phones not incorporating a video camera). As illustrated, a cigarette lighter plug 18 is positioned within dashboard 12, holder 10 being positioned such that power

unit associated with holder 10 can be inserted into the lighter plug 18. It should be noted that cell phone 14 may either be charged or have its own power source, thus not requiring the use of the holder power unit. A ball joint interface 22 to plug 18 allows the holder 10, and thus video camera 16, to be adjusted to provide various angles of view (alternate techniques are available for providing two axis of rotation). Ball joint interface 22 comprises a male ball retainer having a ball element 25 and a female retainer portion 27. A receptacle jack (not shown) is built into dashboard 12. Holder 10 is attached via ball joint 22 to the cigarette lighter plug 18 and power is conveyed via positive and negative contacts formed as part of the conventional cigarette lighter outlet.

Figure 3 illustrates a second embodiment of the invention wherein the holder 10 is mounted to the inside cover 30 of a compartment, or housing, 32 formed on the top of vehicle dashboard 12 via a ball type swivel device 34 and shown in the open position. A door handle 36 enables the door 30 to be open or closed; hinge 38 connects cover 30 to compartment 32; and angle adjuster 40 enables the cover to be fixedly closed and full opened (shown) positions.

Figure 4 is similar to Figure 3 showing holder 10 within compartment 32 in the closed, or stored, position.

Figure 5 illustrates a third embodiment of the present invention wherein holder 10 is mounted within a compartment, or housing, 42 formed in dashboard 12. The compartment 42 is accessible by a user from the front of the dashboard 12.

Figure 6 illustrates a fourth embodiment wherein the cell phone 14 is mounted on holder 10 within compartment, or housing, 44 formed in dashboard 12. A sliding door 46 with handle 48 encloses compartment 44 to provide a pleasing appearance when cell phone 14 is not in use. Note that in this version the video camera 16 can only view the interior of the vehicle.

Figure 7 is a perspective view showing the holder/charger 10 shown in Figure 1 positioned on the top of dashboard 12.

Figure 8 is a fourth embodiment of the present invention. In particular, holder/charger 10 is mounted, via ball type angle adjuster 62, to a raised dashboard component 64 via a ball-joint 66 towards the front of dashboard 12. The dashed lines show an optimal dashboard extension which raises the height of dashboard 12 enabling the video camera 16 to be better positioned to view the interior of the vehicle.

Note that the cell phone may be hung from the vehicle rear view mirror or on the windshield; means to stabilize and dampen the swinging effects that would occur can be provided. Power connections are supplied at the rear view mirror, sun visor or the windshield.

While the invention has been described with reference to its preferred embodiments, it will be understood by those skilled in the art that various changes may be made and equivalents may be substituted for elements thereof without departing from the true spirit and scope of the invention. In addition, many modifications may be made to adapt a particular situation or material to the

teachings of the invention without departing from its essential teachings.


#### WHAT IS CLAIMED IS:

- 1. A vehicle having a dashboard and means for holding a cell phone on top of said vehicle dashboard.
- 2. The vehicle of claim 1 wherein the position of said holding means is adjustable.
- 3. The vehicle of claim 2 wherein said holding means includes means for connecting a source of power to said cell phone.
- 4. The cell phone of claim 3 wherein said power source comprises a cigarette lighter outlet.
- 5. The vehicle of claim 4 further including means for connecting the cigarette lighter outlet to said cell phone.
- 6. The vehicle of claim 5 wherein said mounting means includes a cell phone charging device.
- 7. The vehicle of claim 6 wherein said connecting means is coupled to said charging means.
- 8. The mounting means of claim 1 wherein said cigarette outlet is mounted on top of the vehicle dashboard.


- 9. A vehicle having a dashboard and a compartment formed on said dashboard for holding a cell phone.
- 10. The vehicle of claim 9 wherein the position of said holding means is adjustable.
- 11. The vehicle of claim 10 wherein said holding means includes means for connecting a source of power to said cell phone.
- 12. The vehicle of claim 11 wherein a movable door is provided to enclosed said cell phone within said compartment.
- 13. The vehicle of claim 1 wherein said cell phone includes a camera to view scenes external or interior to said vehicle.
- 14. The vehicle of claim 9 wherein said cell phone includes a camera to view scenes external or internal to said vehicle.

#### ABSTRACT OF DISCLOSURE

In a vehicle, means of mounting a cell phone on the vehicle dashboard with minimal wiring and external connections, using manufacturer power connections made available on the dashboard. The mounting means is either an after market accessory addition to the vehicle or a option available at the time of purchase to render easy and convenient mounting of the cell phone without loose wires and providing proper positioning of a video camera built into the The cell phone is positioned for viewing either cell phone. through the windshield or backward onto the occupants enabling monitoring accidents between vehicles, the result of an accident on the occupants of the vehicle or for security monitoring of the trespassers within the vehicle. This is accomplished by mounting the camera at the dashboard. Another advantage is to improve the power output of the cell phone by positioning the antenna (part of the hand held cell phone device) near the windshield.



F16.1






FIG.3







FIG. 4




P16.5





PIG.7



# Declaration and Power of Attorney for Patent Application English Language Declaration

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

CELLULAR PHONE HOLDER WITH CHARGER MOUNTED TO VEHICLE DASHBOARD

the specification of which	
(check one)	
[XX] is attached hereto.	
[] was filed on	_ as
Application Serial No.	
and was amended on	
(if applicable)	

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

## English Language Declaration

Prior Foreign A	pplication(s):		Pri	ority Claimed
N/A (Number)	(Country)	(Day/Mo	onth/Year Filed)	( ) ( ); No Yes
(Humber)	(Country)	(Day/Mo	nth/Year Filed)	NO Yes
(Number)	(Country)	(Day/Mo	onth/Year Filed)	( ) ( ) No Yes
\$120 of any Unisofar as the supplication is notion in the manufacture of the supplication is not the material informaterial info	the benefit under ted States applicable to the states application as defined .56(a) which occurrents application:	ation(s) lis ach of the c e prior Unit he first par owledge the in Title 37, rred between	ted below a laims of the ed States a agraph of the duty to dis Code of Fe the filing	and, in- his ap- applica- Title 35, sclose ederal T date
N/A (Application Serial N	io.)	(Filing Date)	(patented, pendi	(Status) ng, abandoned)
(Application Serial N	lo.)	(Filing Date)	(patented, pendi	(Status) ng, abandoned)
(Application Serial N		(Filing Date)	(patented, pendi	(Status) ng, abandoned)
ledge are true a belief are belief were made with t the like so made under Section 10 such willful fal	e that all statement and that all statement of the true; at the knowledge that are punishable to the statements may any patent issued	ements made of and further to willful fall by fine or in the United y jeopardize	on informat that these lse stateme mprisonment States Cod	statements ents and t, or both, le and that

### English Language Declaration

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (List name and registration number).

Irving Keschner Reg. No. 24,547

Send Correspondence to:

Irving Keschner, 21515 Hawthorne Boulevard, Suite 1150,

Torrance, CA 90503

Direct Phone Calls to: (name and telephone number)

Irving Keschner (310) 543-5200

full name of sole or first inventor	
Ki Tl Kim	
Inventor's signature	Date
	November 6, 2000
Residence	
255 South Grand Avenue, Suite 2004, Los Angele	s, CA 90012
Citizenship	
U.S.A.	
Post Office Address	•
Full name of second Joint Inventor, if any	
None	•
110110	
Inventor's algneture	Date
Residence	
Citizenship	
Cicianip	7
Post Office Address	
	•

(Supply similar information and signature for third and subsequent joint inventors.

Page 3 of 3